Tick Disease Screenings

HOROWITZ

I took Horowitz's Lyme screening online - he indicates if it is over 46, consult a physician. Mine was well over 46. I bought his book, and haven't gotten into it yet. Focusing on getting info. together for next weeks Dr. appt and recovery from procedure.

http://www.tiredoflyme.com/horowitz-lyme-msids-questionnaire.html

http://lymeontario.com/wp-content/uploads/2015/03/Horowitz-Questionnaire.pdf

I met with a naturopath who had Lyme disease for 10 years, and he made a clinical diagnosis of lyme and wanted to start treatment. I didn't begin because my spouse was very upset thinking naturopaths are quacks.

ELISA

Component

LYME DISEASE SEROLOGY

Your Value

NEGATIVE

Reference range: NEGATIVE

(NOTE)

Serologic response to B. burgdorferi infection is not

detected, but cannot rule out early infection during

which low or undetectable antibody levels to

B. burgdorferi may be present. If clinically indicated,

a new serum specimen should be submitted in 7-14 days.

Test Performed by: Mayo Clinic Dpt of Lab Med & Pathology, 200 First

Street SW, Rochester, MN 55905, Lab Director: Franklin R Cockerill,

III, MD

Standard Range

WESTERN BLOT

Component	Your Value	Standard Ra
LYME POLY. CHAIN RXN	NEGATIVE Reference range: NEGATIVE	
LYME AB IGG BANDS	No bands detected Unit: kDa	
IGM WESTERN BLOT	NEGATIVE Reference range: NEGATIVE	
LYME AB IGM BANDS	No bands detected Unit: kDa	